ORDER FOR SUPPLIES OR SERVICES							PAGE 1 OF 25					
	HO9-04-P-0		DER/AGREEMENT NO.	2. DELIV	VERY ORDER	/CALL NO.	3. DATE OF ORD (YYYYMMMDD) 2004JUL01	ER/CAL		JISITION/PURCH RE	QUEST NO.	5. PRIORITY DOA5
6. ISSUEL	6. ISSUED BY CODE W52H09 7. ADMINISTERED BY (If other than 6) CODE S070					0702A	8. DELIVERY FOB					
MARIA VERA (309)782-0154 ROCK ISLAND IL 61299-7630 EMAIL: VERAM@RIA.ARMY.MIL					550	A STRATFORD MAIN STREET ATFORD CT (7574	ADP PT: HO033	37	DESTINATION OTHER (See Schedule if other)	
9. CONTR	ACTOR			CODE	96458	FACIL		10. DE		OB POINT BY (Date)	57	11. X IF BUSINESS IS
	•			~=			•	(Y)	YYYMMMDI	D)		X SMALL
	1069 (CON	PPOLITO & CO OF C INECTICUT AVE						SCHEDULE			SMALL
NAME AND ADDRESS		ΞPC	PRT, CT. 06607-12	203				12. DIS	SCOUNT TEI	RMS		DISADVANTAGED WOMAN-OWNED
	•						•	13. MA	AIL INVOICE	S TO THE ADDRESS	IN BLOCK	
14. SHIP 1		BUS	SINESS: Other Sma	cope	iness Perf		U.S. T WILL BE MADE		Block 15	COD	р Е НQ0337	MARK ALL
	SCHEDULE			CODE		DFA NOR PO	S COLUMBUS CE TH ENTITLEMEN BOX 182266 UMBUS OH 43	NTER IT OPE		COL	1100337	PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL		THIS DELIVERY ORDER	R IS ISSUED	ON ANOTHER (GOVERNMENT AG	GENCY OR IN ACCORI	ANCE WI	TH AND SUBJE	ECT TO TERMS AND COM	NDITIONS OF ABOV	E NUMBERED CONTRACT.
OF ORDER	PURCHASE	х	Reference your	Oral		-	2H0904T0396	, Da	ated	·		
		23	ACCEPTANCE. THI							MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNED (YYYYMMMDD) If this box is marked, supplier must sign Acceptance and return the following number of copies:												
	SCHEDULE	API	PROPRIATION DATA/LO	OCAL USE								
18. ITEM	NO. 19. S	СН	EDULE OF SUPPLIES/SI	ERVICE			20. QUANTITY ORDERED/ ACCEPTED*	?	21. UNIT	22. UNIT PRICE	23. AMOUNT	
	CON F KIN	TRA iri D (CHEDULE ACT TYPE: n-Fixed-Price OF CONTRACT: ply Contracts an	d Price	d Orders							
* If quantity	accepted by the	e Go	overnment is 2	4. UNITED	STATES OF A	AMERICA					25. TOTAL	\$8,610.00
If differen	uantity ordered, t, enter actual q rdered and enci	uan	tity accepted below	BY:		ARTLEBEN / NC@RIA.ARM	SIGNED/ Y.MIL (309)78			RDERING OFFICER	26. DIFFERENCE	3
			N 20 HAS BEEN									
	PECTED L	_	RECEIVED A			ORMS TO CON	c. DATE (YYYYMMMD		d. PRINTE	D NAME AND TITLE SENTATIVE	OF AUTHORIZE	D GOVERNMENT
e. MAILI	NG ADDRESS	OF A	AUTHORIZED GOVERN	MENT RE	PRESENTATI	VE	28. SHIP. NO.	2	29. D.O. VOU	CHER NO.	30. INITIALS	
f. TELEP	HONE NUMBE	R	g. E-MAIL A	ADDRESS			PARTIA FINAL	L	32. PAID BY		33. AMOUNT	ERIFIED CORRECT FOR
36. I CER	TIFY THIS ACC	cot	UNT IS CORRECT AND I	PROPER F	OR PAYMEN	г.	31. PAYMENT				34. CHECK NU	UMBER
a. DATE	MMDD)		b. SIGNATURE AND	TITLE OF	CERTIFYING	OFFICER	COMPL PARTIA FINAL				35. BILL OF L	ADING NO.
37. RECE	IVED AT		38. RECEIVED BY (P	'rint)	39. DATE RE (YYYYMM)		40. TOTAL CO TAINERS	DN-	41. S/R ACCO	OUNT NUMBER	42. S/R VOUCE	IER NO.

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 2 of 25

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

SUPPLEMENTAL INFORMATION

Regulatory Cite _____ Title _____ Date

1 HQ, DA NOTICE TO OFFERORS - USE OF CLASS I OZONE-DEPLETING SUBSTANCES

JUL/1993

- (a) In accordance with Section 326 of P.L. 102-484, the Government is prohibited from awarding any contract which includes a specification or standard that requires the use of a Class I ozone-depleting substance (ODS) identified in Section 602(a) of the Clean Air Act, 42 U.S.C. 7671a(a), or that can be met only through the use of such a substance unless such use has been approved, on an individual basis, by a senior acquisition official who determines that there is no suitable substitute available.
- (b) To comply with this statute, the Government has conducted a best efforts screening of the specifications and standards associated with this acquisition to determine whether they contain any ODS requirements. To the extent that ODS requirements were revealed by this review they are identified in Section C with the disposition determined in each case.
- (c) If offerors possess any special knowledge about any other ODSs required directly or indirectly at any level of contract performance, the U.S. Army would appreciate if such information was surfaced to the Contracting Officer for appropriate action. To preclude delay to the procurement, offerors should provide any information in accordance with FAR 52.214-6 or 52.215-14 as soon as possible after release of the solicitation and prior to the submission of offers to the extent practicable. It should be understood that there is no obligation on offerors to comply with this request and that no compensation can be provided for doing so.

(End of Clause)

(AA7020)

2 52.201-4501 NOTICE ABOUT TACOM-RI OMBUDSMAN TACOM-RI

APR/2002

- a. We have an Ombudsman Office here at TACOM-RI. Its purpose is to open another channel of communication with TACOM-RI contractors.
 - b. If you think that this solicitation:
 - 1. has inappropriate requirements; or
 - 2. needs streamlining; or
 - 3. should be changed

you should first contact the buyer or the Procurement Contracting Officer (PCO).

- c. The buyer's name, phone number and address are on the cover page of this solicitation.
- d. If the buyer or PCO doesn't respond to the problem to your satisfaction, or if you want to make comments anonymously, you can contact the Ombudsman Office. The address and phone number are:

U.S. Army TACOM-RI
AMSTA-AQ-AR (OMBUDSMAN)
Rock Island IL 61299-7630
Phone: (309) 782-3224

Electronic Mail Address: ombudsman@ria.army.mil

- e. If you contact the Ombudsman, please provide him with the following information:
 - (1) TACOM-RI solicitation number;
 - (2) Name of PCO;
 - (3) Problem description;
 - (4) Summary of your discussions with the buyer/PCO.

(End of clause)

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 3 **of** 25

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

(AS7006)

3 52.210-4516

COMMERCIAL EQUIVALENT ITEM(S)

JUN/1998

THE GOVERNMENT HAS A PREFERENCE TO SATISFY ITS NEEDS THROUGH THE ACQUISITION OF COMMERCIAL ITEMS. IF YOU KNOW OF ANY COMMERCIAL EQUIVALENT ITEM(S) FOR THOSE LISTED IN THIS SOLICITATION, PLEASE CONTACT THE CONTRACTING OFFICE. INFORMATION PROVIDED WILL BE CONSIDERED FOR FUTURE PROCUREMENTS.

(END OF CLAUSE)

(AS7003)

4 52.211-4506

INSTRUCTIONS REGARDING SUBSTITUTIONS FOR MILITARY AND FEDERAL $\,$

DEC/1997

TACOM-RI SPECIFICATIONS AND STANDARDS

- (a) Section I of this document contains DFARS clause 252.211-7005, Substitutions for Military Specifications and Standards, which allows bidders/quoters/offerors to propose Management Council approved Single Process Initiatives (SPIs) in their bids/quotes/offers, in lieu of military or Federal specifications and standards cited in this solicitation.
- (b) An offeror proposing to use an SPI process under this solicitation shall identify the following for each proposed SPI as required by DFARS 252.211-7005 contained in Section I:

SPI	MILITARY/FEDERAL SPEC/STANDARD	LOCATION OF REQUIREMENT	FACILITY	ACO

- (c) An offeror proposing to use an SPI process under this solicitation shall also provide a copy of the Department of Defense acceptance for each SPI process proposed.
- (d) In the event an offeror does not identify any SPI in paragraph (b) above, the Government shall conclude that the bidder/quoter/offeror submits its bid/quote/proposal in accordance with the requirements of this solicitation.
 - (e) The price that is provided by the offeror in the Schedule in Section B will be considered as follows:
- (1) If an SPI is identified in paragraph (b) above, the Government will presume that the price is predicated on the use of the proposed SPI.
- (2) If there is no SPI identified in paragraph (b) above, the Government will presume the price is predicated on the requirements as stated in the solicitation.
- (f) Bidders/quoters/offerors are cautioned that there is always the possibility that the Government could make a determination at the Head of the Contracting (HCA)/Program Executive Officer (PEO) level that the proposed SPI is not acceptable for this procurement. If such a determination is made, and the bid/quote/offer only identifies a price predicated on use of proposed SPI, the bid/quote/offer will be determined nonresponsive. Bidders/quoters/offerors who propose SPI processes are encouraged to provide a price below to reflect their price for the item manufactured in accordance with the requirements as stated in this solicitation to preclude possibly being determined nonresponsive:

CLIN	 PRICE S	\$
CLIN	 PRICE S	\$
CLIN	 PRICE S	\$
CLIN	 PRICE S	\$

(End of clause)

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

5 52 215-4503 NOTICE TO OFFERORS - ELECTRONIC BID/OFFER RESPONSE REQUIRED TACOM-RI

FEB/2002

Page 4 of 25

- 1. In accordance with Management Reform Memorandum (MRM) #2 from the Department of Defense (DoD), all Services are required to eliminate paper from their acquisition process by January 1, 2000 (see information at http://www.acq.osd.mil/pcipt/).
- 2. In response to this mandate, TACOM-RI has established the capability to receive bids, proposals, and quotes electronically. A hotlink from the TACOM-RI Solicitation Page has been activated to fully automate the response process (see http://aais.ria.army.mil/aais/SOLINFO/index.htm).
- 3. IMPORTANT: Bids/proposals/quotes in response to this solicitation are REQUIRED to be submitted in electronic format. Hard copy bids/offers/quotes WILL NOT BE ACCEPTED.
 - 4. Your attention is drawn to the following clauses in Section L of this solicitation for instructions and additional information:

LS7011, Electronic Bids/Offers - TACOM-RI (TACOM-RI 52.215-4510)

LS7013, Electronic Award Notice - TACOM-RI (TACOM-RI 52.215-4511)

(End of clause)

(AS7004)

52.233-4503 AMC-LEVEL PROTEST PROGRAM TACOM-RI

JUN/1998

(OCTOBER 1996)

If you have complaints about this procurement, it is preferable that you first attempt to resolve those concerns with the responsible contracting officer. However, you can also protest to Headquarters, AMC. The HQ, AMC-Level Protest Program is intended to encourage interested parties to seek resolution of their concerns within AMC as an Alternative Dispute Resolution forum, rather than filing a protest with General Accounting Office or other external forum. Contract award or performance is suspended during the protest to the same extent, and within the same time periods, as if filed at the GAO. The AMC protest decision goal is to resolve protests within 20 working days from filing. To be timely, protests must be filed within the periods specified in FAR 33.103. Send protests (other than protests to the contracting officer) to:

HQ Army Materiel Command Office of Command Counsel ATTN: AMCCC-PL 9301 Chapek Rd 2-1SE3401

Fort Belvoir VA 22060-5527

Facsimile number (703) 806-8866/8875 Voice Number (703) 806-8762

The AMC-level protest procedures are found at:

http://www.amc.army.mil/amc/cc/protest.html

If Internet access is not available contact the contracting officer or HQ, AMC to obtain the AMC-Level Protest Procedures.

(End of Clause)

(AS7010)

7 52.245-4576 TACOM-RT

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 5 of 25

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

This solicitation and any resulting contract are subject to the ''Demilitarization - Small Arms Weapons and Parts, and Accessories (Category I - Munitions List Items)'' clause contained in Section H of this document.

(End of clause)

(AS7500)

Procurement presented as a 100% Small Business Setside (SBSA)

REQUIREMENT IS FOR 150 (One Hundred Fifty) EACH, SLIDER MOUNT MACHINE, NSN: 1005-01-388-6911, P/N: 6650438, Slider Assy, Rear is a close tolerance machined part from aluminum, 6061-T6 on the internal retaining ring, simplicity linear bearing, rear slider and a bronze busing stock for the slider bushing. The approximate size is 2.28 in x 1.75 in with a hard anodic finish applied and 60 (Sixty) EACH SLIDER MOUNT, MACHINE, NSN: 1005-01-388-5697, P/N: 6650437, Slider Assy, Front (RH) is a close tolerance machined part from aluminum, 6061-T6 on the internal retaining ring,, simplicity linear bearing, front slider (RH) and a bronze bushing stock for the slider bushing. The approximate size is 2.38 IN x 2.50 IN x 2.0 IN with a hard anodic finish applied. END ITEM IS THE MK 93.

There is an option quantity NOT TO EXCEED 100% (or 100 pieces) that the Government reserves the right to procure anytime within 365 days after award. See Clause IF6080, "Evaluated Option for Increased Quantity" at pages 17 and 18 for further guidance. INSURE THAT YOU PROVIDE OPTION PRICING so that the Government can fully understand your quote. Potential vendors qualifying their option pricing by such statements as "not less than 100%" may be deemed nonresponsive, as the Government is under no obligation to exercise a set percentage of the option as described, if at all.

Potential vendors should take note of and be able to comply with the "Higher Level Contract Quality Requirements" as stated at Clause EF6002 on page 12.

Potential vendors should take note of and be able to comply with the "Phosphate Coating Requirements" as stated at Clause CS6510 on page 9. Note that any potential awardee must submit their phosphate coating procedure for review and approval by the Government prior to production.

Technical Data Package (TDP) is Distribution A and is available directly off of Open Solicitation website by utilizing hyperlink at Item NSN.

This procurement is subject to availability of FY 2004 funding.

*** END OF NARRATIVE A 001 ***

- 1. The purpose of this amendment is to incorporate clause entitled "Notice of Total Hubzone Set-Aside", IF0485.
- 2. The Contractor must be listed in the Small Business Administration (SBA's) certified hubzone site at time of bid opening for the contractor to be eligible.
- 3. The hour and date for receipt of offers is hereby changed from 25 June 2004 3:30 pm CT, to Monday, 21 June 2004 2:00 pm CT.
- 4. All other terms and conditions remain the same.

*** END OF NARRATIVE A 002 ***

Reference No. of Document Being Continued **PIIN/SIIN** W52H09-04-P-0492

MOD/AMD

Page 6 **of** 25

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

					AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 1005-01-388-6911 FSCM: 53711 PART NR: 6650438 SECURITY CLASS: Unclassified				
0001AA	FIRST ARTICLE TEST REPORT	1	LO	\$ ** NSP **	\$** NSP **
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 3 DEL REL CD QUANTITY DEL DATE 001 1 31-OCT-2004				
	FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS				
	(ZZZ555) TACOM-ROCK ISLAND ATTN AMSTA-LC-CSC ROCK ISLAND IL 61299-7630				
	CONTRACT/DELIVERY ORDER NUMBER W52H09-04-P-0492/0000				
0001AB	PRODUCTION QUANTITY WITH FIRST ARTICLE	150	EA	\$ 41.00000	\$6,150.00
	NOUN: SLIDER, MOUNT, MACHIN PRON: M141S357M1 PRON AMD: 02 ACRN: AA AMS CD: 070011L9MK9				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL				

Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 7 of 25

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W52H093329A151 W25G1U J 1 DEL REL CD QUANTITY DEL DATE 14-MAR-2005 002 75 14-APR-2005 FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS (W25GlU) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001				
	CONTRACT/DELIVERY ORDER NUMBER W52H09-04-P-0492/0000				
0002	NSN: 1005-01-388-5697 FSCM: 53711 PART NR: 6650437 SECURITY CLASS: Unclassified				
0002AA	FIRST ARTICLE TEST REPORT	1	LO	\$ ** NSP **	\$** NSP **
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 3 DEL REL CD QUANTITY DEL DATE 001 1 31-OCT-2004				
	FOB POINT: Destination SHIP TO: PARCEL POST ADDRESS (ZZZ555) TACOM-ROCK ISLAND ATTN AMSTA-LC-CSC ROCK ISLAND IL 61299-7630				
	CONTRACT/DELIVERY ORDER NUMBER W52H09-04-P-0492/0000				

Reference No. of Document Being Continued PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 8 of 25

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0002AB	PRODUCTION QUANTITY WITH FIRST ARTICLE	60	EA	\$\$1.00000	\$2,460.00
	NOUN: SLIDER, MOUNT, MACHIN PRON: M141S358M1 PRON AMD: 02 ACRN: AB AMS CD: 060011L9MK9				
	Packaging and Marking				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W52H093329A152 W25G1U J 1 DEL REL CD QUANTITY DEL DATE 001 60 14-MAR-2005				
	FOB POINT: Destination				
	SHIP TO: PARCEL POST ADDRESS (W25GlU) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001				
	CONTRACT/DELIVERY ORDER NUMBER W52H09-04-P-0492/0000				

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

8 52.210-4501 TACOM-RI DRAWINGS/SPECIFICATION

MAR/1988

Page 9 of 25

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with enclosed Technical Data Package Listing - TDPL 6650437 and 6650438 with revisions in effect as of 10 Dec 2003 (except as follows):

-3-

(CS6100)

PACKAGING AND MARKING

9 52.211-4503 PACKAGING REQUIREMENTS (COMMERCIAL)

FEB/2004

The preservation, packing, and marking requirements for the item identified above shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

PRESERVATION: COMMERCIAL
LEVEL OF PACKING: Commercial
OUANTITY PER UNIT PACKAGE: 001

- 1 Packaging Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year, provide for multiple handling, redistributuion and shipment by any mode and meet or exceed the following requirements
- 1.1 Cleanliness Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- 1.2 Preservation Items susceptible to corrosion of deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- 1.3 Cushioning Items requiring protection from physical and mechanical damage (e.g., fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handling and shipment.
- 2 Unit Package. A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box.
- 3 Unit Package Quantity. Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.
- 4 Intermediate Package Intermediate packaging is required whenever one or more of the following conditions exists:
 - a. the quantity is over one (1) gross of the same national stock number,
 - b. use enhances handling and inventorying,
 - c. the exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - d. the unit pack is less than 64 cubic inches,
 - e. the weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

- 5. Packing:
- 5.1 Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
 5.2 Shipping Containers The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- 6 Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 10 of 25

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40×48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

- 7 Marking:
- 7.1 All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 2, Date 10 Feb 04, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- 7.2 Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots; e.g., New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the standard, see paragraph 5.3.
- 7.3 Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- 7.4. Military Shipping Label. The following website (Computer Automated Transportation Tool, CAAT) provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: <a href="http://www.assettrak.com/catt/mslirrd/mslirr
- 8. Hazardous Materials: In addition to the general instructions listed above;
- 8.1 Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- 8.2 Packaging and marking for hazardous material shall comply with the requirments for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Code (IMDG)

Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49

Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

- 8.3 If the shipment originates from outside the continental United Sates, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- 8.4 A Product Material Safety DAta Sheet (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- 9 Heat Treatment and Marking of Wood Packaging Materials All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- 10 Quality Assurance The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
- 11 SUPPLEMENTAL INSTRUCTIONS: N/A

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

INSPECTION AND ACCEPTANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

http://www.arnet.gov/far/ or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(EA7001)

10 52.246-2 INSPECTION OF SUPPLIES - FIXED-PRICE AUG/1996

11 52.246-11 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT FEB/1999

The Contractor shall comply with the higher-level quality standard selected below, (If more than one standard is listed, the offeror shall indicate its selection by checking the appropriate block.)

Title Number Date Tailoring

() Quality Management System - Requirements ISO 9001:2000 13 Dec 2000 tailored by excluding paragraph 7.3

(End of clause)

(EF6002)

12 52.209-4512 FIRST ARTICLE TEST (CONTRACTOR TESTING)
TACOM-RI

MAR/2001

-4-

Page 11 of 25

a. The first article shall consist of:

5 each of the following parts; 6650406, 6650437, 6650438, 6650440, 6650452 in accordance with all drawing, QAP and specification requirements.

which shall be examined and tested in accordance with contract requirements, the item specification(s), Quality Assurance Provisions (QAPs) and all drawings listed in the Technical Data Package.

- b. The first article shall be representative of items to be manufactured using the same processes and procedures and at the same facility as contract production. All parts and materials, including packaging and packing, shall be obtained from the same source of supply as will be used during regular production. All components, subassemblies, and assemblies in the first article sample shall have been produced by the Contractor (including subcontractors) using the technical data package applicable to this procurement.
- c. The first article shall be inspected and tested by the contractor for all requirements of the drawing(s), the QAPs, and specification(s) referenced thereon, except for:
- (1) Inspections and tests contained in material specifications provided that the required inspection and tests have been performed previously and certificates of conformance are submitted with the First Article Test Report.
- (2) Inspections and tests for Military Standard (MS) components and parts provided that inspection and tests have been performed previously and certifications for the components and parts are submitted with the First Article Test Report.
- (3) Corrosion resistance tests over 10 days in length provided that a test specimen or sample representing the same process has successfully passed the same test within 30 days prior to processing the first article, and results of the tests are submitted with the First Article Test Report.

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Name of Offeror or Contractor: James ippolito & co of ct inc

- (4) Life cycle tests over 10 days in length provided that the same or similar items manufactured using the same processes have successfully passed the same test within 1 year prior to processing the first article and results of the tests are submitted with the First Article Test Report.
- (5) Onetime qualification tests, which are defined as a one-time on the drawing(s), provided that the same or similar item manufactured using the same processes has successfully passed the tests, and results of the test are on file at the contractor's facility and certifications are submitted with the First Article Test Report.
- d. The Contractor shall provide to the Contracting Officer at least 15 calendar days advance notice of the scheduled date for final inspection and test of the first article. Those inspections which are of a destructive nature shall be performed upon additional sample parts selected from the same lot(s) or batch(es) from which the first article was selected.
- e. A First Article Test Report shall be compiled by the contractor documenting the results of all inspections and tests (including supplier's and vendor's inspection records and certifications, when applicable). The First Article Test Report shall include actual inspection and test results to include all measurements, recorded test data, and certifications (if applicable) keyed to each drawing, specification and QAP requirement and identified by each individual QAP characteristic, drawing/specification characteristic and unlisted characteristic. Evidence of the QAR's verification will be provided. One copy of the First Article Test Report will be submitted through the Administrative Contracting Officer to the Contracting Officer with a copy furnished to -2-.
- f. Notwithstanding the provisions for waiver of first article, an additional first article sample or portion thereof, may be ordered by the Contracting Officer in writing when (i) a major change is made to the technical data, (ii) whenever there is a lapse in production for a period in excess of 90 days, or (iii) whenever a change occurs in place of performance, manufacturing process, material used, drawing, specification or source of supply. When conditions (i), (ii), or (iii) above occurs, the Contractor shall notify the Contracting Officer so that a determination can be made concerning the need for the additional first article sample or portion thereof, and instructions provided concerning the submission, inspection, and notification of results. Costs of the additional first article testing resulting from any of the causes listed herein that were instituted by the contractor and not due to changes directed by the Government shall be borne by the Contractor.

(End of Clause)

(ES6016)

13 52.246-4503 ALTERNATIVES TO LOT ACCEPTANCE SAMPLING (INCLUDING STATISTICAL TACOM-RT PROCESS CONTROL (SPC))

JAN/1999

Page 12 of 25

- (a) Offerors are encouraged to propose a defect prevention strategy in lieu of lot acceptance inspection and testing requirements cited in the technical data package. The Government recognizes that industry has developed numerous prevention based strategies which result in reduced process variation and promote continuous process improvement initiatives. Use of alternatives to lot acceptance sampling can provide offerors the latitude of implementing prevention based programs that are suitable to their particular mode of operation. Offerors are encouraged to submit their alternative proposals prior to award. Although the Government will entertain post award requests, there is no quarantee such requests will be accepted.
- (b) Requests to use alternatives to lot acceptance sampling shall be provided to the Contracting Officer for review and approval or disapproval. Such requests shall include:
 - (1) Identification of the specific inspections and tests to be reduced or eliminated.
- (2) A description of your prevention based program. This should include such topics as a training program and the performance of audits.
- (3) A description of the tools used to monitor and control the specific processes being evaluated. This should include such topics as criteria for determining out of control conditions and procedures to be used when an out of control condition is detected.
 - (4) The results of a process performance study, and if available, the results of a process capability study.
 - (5) For SPC data to be used as an alternative to lot acceptance sampling, the following conditions shall be met:
 - (i) The process is in a state of statistical control using SPC control chart methods.
- (ii) Variable data: for Critical characteristics a CPK =/> 2.00 (or equivalent capability) is achieved; for Major characteristics a CPK =/> 1.33 (or equivalent capability) is achieved.
- (iii) Attribute data: for Critical Characteristics a process average of 100% of the product conforming to the specification; for Major Characteristics a process average of 99.9937% of the product conforming to the specification.

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Name of Offeror or Contractor: James ippolito & co of ct inc

- (c) Proposals offered after award. The Contracting Officer is responsible for accepting or rejecting the alternate lot acceptance procedure submitted by the contractor. The contractor may submit an alternate lot acceptance procedure at any time during the performance of this contract. The Contracting Officer is responsible for accepting or rejecting the alternate procedure within 30 days of receipt. If the Government needs more time to evaluate the alternate procedure, the Contracting Officer shall notify the contractor in writing, giving the reasons and the anticipated decision date. The contractor may withdraw its proposal at anytime prior to its incorporation by contract modification. Because offerors may withdraw their proposal at anytime, the Contracting Officer's failure to timely accept or reject the proposal shall not constitute grounds for claim against the Government. Any proposed and accepted procedure must be incorporated by contract modification. If the alternate procedure is not accepted, the Contracting Officer shall provide the contractor with written notification, explaining the reasons for rejection.
- (d) Any equitable adjustment resulting from approval of an alternate lot acceptance procedure described in paragraph (c) above will be handled in accordance with the Changes clause of this contract.
- (e) Until notification is received, the contractor is required to perform under this contract in accordance with the requirements herein, including lot acceptance inspection and testing.

(End of clause)

(ES7019)

14 52.246-4528 REWORK AND REPAIR OF NONCONFORMING MATERIAL TACOM-RI

MAY/1994

Page 13 of 25

- a. Rework and Repair are defined as follows:
- (1) Rework The reprocessing of nonconforming material to make it conform completely to the drawings, specifications or contract requirements.
- (2) Repair The reprocessing of nonconforming material in accordance with approved written procedures and operations to reduce, but not completely eliminate, the nonconformance. The purpose of repair is to bring nonconforming material into a usable condition. Repair is distinguished from rework in that the item after repair still does not completely conform to all of the applicable drawings, specifications or contract requirements.
- b. Rework procedures along with the associated inspection procedures shall be documented by the Contractor and submitted to the Government Quality Assurance Representative (QAR) for review prior to implementation. Rework procedures are subject to the QAR's disapproval.
- c. Repair procedures shall be documented by the Contractor and submitted on a Request for Deviation/Waiver, to the Contracting Officer for review and written approval prior to implementation.
- d. Whenever the Contractor submits a repair or rework procedure for Government review, the submission shall also include a description of the cause for the nonconformances and a description of the action taken or to be taken to prevent recurrence.
- e. The rework or repair procedure shall also contain a provision for reinspection which will take precedence over the Technical Data Package requirements and shall, in addition, provide the Government assurance that the reworked or repaired items have met reprocessing requirements.

(End of Clause)

(ES7012)

DELIVERIES OR PERFORMANCE

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

http://www.arnet.gov/far/ or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

CONTINUATION SHEET	Reference No. of Document Be	ing Continued	Page 14 of 25
CONTINUATION SHEET	PIIN/SIIN W52H09-04-P-0492	MOD/AMD	
Name of Offeror or Contractor: JAMES IPPOI	LITO & CO OF CT INC		•

(FA7001)

15	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
16	52.247-34	F.O.B. DESTINATION	NOV/1991
17	52.247-35	F.O.B. DESTINATION, WITHIN CONSIGNEE'S PREMISES	APR/1984
18	52.247-4531	COGNIZANT TRANSPORTATION OFFICER	MAY/1993
	TACOM-RI		

- (a) The contract administration office designated at the time of contract award, or the office servicing the point of shipment if subsequently designated by the original office, will be the contact point to which the contractor will:
- (1) Submit, as necessary, DD Form 1659, Application for U.S. Government Bill(s) of Lading/Export Traffic Release, in triplicate at least ten days prior to date supplies will be available for shipment;
 - (2) Obtain shipping instructions as necessary for F.O.B. Destination delivery; and
- (3) Furnish necessary information for MILSTRIP/MILSTAMP or other shipment documentation and movement control, including air and water terminal clearances.
- (4) For FMS, at least 10 days in advance of actual shipping date the contractor should request verification of ''Ship to'' and ''Notification'' address from the appropriate DCMAO.
 - (b) The contract administration office will provide to the contractor data necessary for shipment marking and freight routing.
- (c) The contractor shall not ship directly to a Military air or water port terminal without authorization by the designated point of contact.

(End of Clause)

(FS7240)

	CONTINUATION SHEET					Reference No. of Document Being Continued						Page 15 of 25
					Æ I	PIIN/SIIN W52H09-04-P-0492		MOD	MOD/AMD			
Name	of Offeror or	Conti	ractor	JAM	ES IPPOLI	ITO & CO OF	CT INC					
CONTRAC	T ADMINISTRA	rion 1	DATA									
	PRON/								JOB			
LINE	AMS CD/		OBLG						ORDER	ACCOUNT:	ING	OBLIGATED
<u>ITEM</u>	MIPR	<u>ACRN</u>	STAT	ACCO	OUNTING C	LASSIFICATI	ON		NUMBER	STATION		AMOUNT
0001AB	M141S357M1	AA	1	97	X4930AC	6G 6D	26FB	S11116		W52H09	\$	6,150.00
	070011L9MK9											
0002AB	M141S358M1	AB	1	97	X4930AC	9G 6D	26KB	S11116		W52H09	\$	2,460.00
	060011L9MK9											
										TOTAL	\$	8,610.00
SERVICE									ACCOU	NTING		OBLIGATED
NAME	TOTAL	L BY	ACRN	ACCO	OUNTING C	LASSIFICATION	<u>ON</u>		STATI	ON		AMOUNT
Army		AA	_	97	X4930AC	6G 6D		S11116	W52H0	9	\$	6,150.00
Army		AB		97	X4930AC	9G 6D	26KB	S11116	W52H0	9	\$_	2,460.00
										TOTAL	\$	8,610.00

The paying office shall ensure that the invoice/voucher is disbursed from each ACRN as indicated on the invoice/voucher.

AUG/1997

(End of clause)

52.232-4500 CONTRACT PAYMENT INSTRUCTIONS

(GS7016)

19

TACOM-RI

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 16 of 25

Name of Offeror or Contractor: James ippolito & co of ct inc

SPECIAL CONTRACT REQUIREMENTS

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

http://www.arnet.gov/far/ or www.acq.osd.mil/dp/dars

If the clause requires additional or unique information, then that information is provided immediately after the clause title.

(HA7001)

20	252.247-7023 DFARS	TRANSPORTATION OF SUPPLIES BY SEA - ALTERNATE III	MAY/2002
21	52.246-4500 TACOM-RI	MATERIAL INSPECTION & RECEIVING REPORTS (DD FORM 250)	NOV/2001

- (a) Material Inspection and Receiving Report(s) (DD Form 250), are required to be prepared and furnished to the Government under the clause of this contract entitled 'Material Inspection and Receiving Report'. Distribution of reports to the Purchasing Office (in accordance with DoD FAR Supplement Appendix F) shall be accomplished electronically.
- (b) Two copies of the DD Form 250 are required to be submitted to the Purchasing Office. To satisfy this submission requirement electronically, the completed documents may be transmitted via electronic mail, or data fax. The electronic mail address for submission is veram@ria.army.mil. The data fax number for submission is (309) 782-0155, ATTN: Maria Vera.
- (c) Any additional copies required in accordance with Appendix F may be submitted to the addresses identified below via the U. S. Postal Service:
 - (1) The FMS/MAP copies may be submitted to: N/A

(End of Clause)

(HS6510)

22 252.217-7026 IDENTIFICATION OF SOURCES OF SUPPLY DEARS

NOV/1995

- (a) The Government is required under 10 U.S.C. 2384 to obtain certain information on the actual manufacturer of sources of supplies it acquires.
 - (b) The apparently successful Offeror agrees to complete and submit the following table before award:

TABLE

	National	Commercial				
Line	Stock	Item	:	Source of Su	pply	Actual
Items	Number	(Y or N)	Company	Address	Part No.	Mfg
(1)	(2)	(3)	(4)	(4)	(5)	(6)

(1) List each deliverable item of supply and item of technical data.

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 17 of 25

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

- (2) If there is no national stock number, list ''none.''
- (3) Use ''Y'' if the item is a commercial item; otherwise, use ''N''. If ''Y'' is listed, the Offeror need not complete the remaining columns in the table.
- (4) For items of supply, list all sources. For technical data, list the source.
- (5) For items of supply, list each source's part number for the item.
- (6) Use ''Y'' if the source of supply is the actual manufacturer; ''N'' if it is not; and ''U'' if unknown.

(End of clause)

NOTE:

- a. An original and one copy of the information required above, shall be provided to the Contracting Officer at the address set forth in Section G, or block 7 of the SF33 (or in block 6 of the DD Form 1155).
- b. In the event that additional sources of supply are identified and utilized after the submittal required by paragraph (b) above, the Contractor will provide the required information for each additional source of supply not later than the date of final delivery of the applicable Contract Line Item.

(End of Clause)

(HA7705)

23 252.223-7001 HAZARD WARNING LABELS DFARS

DEC/1991

- (a) ''Hazardous material,'' as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.
- (b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labeling requirements of one of the following statutes:
 - (1) Federal Insecticide, Fungicide and Rodenticide Act;
 - (2) Federal Food, Drug and Cosmetics Act;
 - (3) Consumer Product Safety Act;
 - (4) Federal Hazardous Substances Act; or
 - (5) Federal Alcohol Administration Act.
- (c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labeled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the Hazard Communication Standard.

(If none, insert	None)	ACT	

- (d) The apparently successful Offeror agrees to submit, before award, a copy of the hazard warning label for all hazardous materials not listed in paragraph (c) of this clause. The Offeror shall submit the label with the Material Safety Data Sheet being furnished under the Hazardous Material Identification and Material Safety Data clause of this contract.
- (e) The Contractor shall also comply with MIL-STD-129, Marking for Shipment and Storage (including revisions adopted during the term of this contract.

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

(HA7704)

24 52.245-4575 DEMILITARIZATION - SMALL ARMS WEAPONS AND PARTS, AND ACCESSORIES

FEB/1995

Page 18 of 25

TACOM-RI

(CATEGORY I - MUNITIONS LIST ITEMS)

- (a) Definitions. (i) ''Excess property,'' means property of the type covered by this contract for which the Contractor does not claim or is refused payment; including, but not limited to, rejects or overruns. Excess property (whether title to the property is in the Government or not) includes completed or partially completed parts, components, subassemblies and assemblies, end items, and all associated packaging and marking.
- (ii) ''Significant Military Equipment (SME),'' means those articles for which special controls are warranted because of their capacity for military utility or capability.
- (iii) ''Munitions List Items (MLI),'' means those items listed on the U.S. Munitions List. The U.S. Munitions List delineates the articles, services and related technical data designated as defense articles and defense services pursuant to the Arms Export Control Act.
- (b) This contract requires the manufacture, assembly, test, maintenance, repair and/or delivery of military/defense items. This clause sets forth the requirements for the demilitarization, and corresponding certification, of excess property under this contract. These requirements are applicable to any contractor/subcontractor who performs work on this contract.
- (c)(1) Upon completion of production under this contract, the contractor shall notify the ACO, or his designated representative, in a timely manner so that a Government representative can physically witness the demilitarization of material under this contract. Demilitarization shall be accomplished as prescribed in subparagraph (d) below. The Contractor and the Government representative are both required to sign and date the demilitarization certificate (provided below). The certificate shall state that demilitarization has been accomplished, and identify the quantity and items which were demilitarized.

CERTIFICATE

I,	(name and title of Contractor's employee) am the officer
or employee of	(name of company) responsible for assuring demilitarization
requirements have been accomplished. I certify that	t ** (IDENTIFY ITEMS AND QUANTITIES) ** were demilitarized in
accordance with instructions provided in contract _	(contract number).

(end of certificate)

(2) This certificate, along with the final DD Form 250, will be forwarded by the Government QAR to the Administrative Contracting Officer (ACO) so that final payment can be made. The ACO will not release the final DD Form 250 for payment to the Contractor unless the Demilitarization Certificate has been received. The Demilitarization Certificate received will become part of the contract file.

WARNING: SIGNING A FALSE CERTIFICATE CONSTITUTES A FELONY AND MAY SUBJECT THE INDIVIDUAL TO CRIMINAL PROSECUTION.

- (3) To accomplish the certification requirements for subcontractor demilitarization, the contractor is required to follow all procedures of subparagraph (c)(1) above. The subcontractor is responsible for all of the contractor requirements specified, and the contractor is responsible for all of the Government requirements specified. Therefore, the prime Contractor must witness the actual demilitarization of material under this contract by the subcontractor, and so certify.
- (d) Excess property shall be completely destroyed or mutilated (whichever is prescribed) prior to final payment, as set forth below. Demilitarization is necessary in order that the property will be unusable or nonreclaimable for its original purpose, and to preclude the possibility of reconditioning the property to make saleable as implements of destruction.
 - (1) The following items are considered to be SME and require total destruction worldwide:
- (i) All nonautomatic, semiautomatic, and automatic firearms and other weapons up to and including .50 caliber and all components and parts;
 - (ii) Shotguns and all components and parts;
 - (iii) Shoulder fired grenade launchers and all components and parts;

CONT	-	ATTANT	OTTOTAL
		AIION	SHEET

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 19 of 25

IIN W52H09-04-P-0492 MOD/A

Name of Offeror or Contractor: James ippolito & co of ct inc

- (iv) Man portable rocket launchers and all components and parts;
- (v) Individually operated weapons which are prorable and/or can be fired without special mounts or firing devices and which have potential use in civil disturbances and are vulnerable to theft and all components and parts;
 - (vi) Pyrotechnic pistols and other ground signal projectors and all components and parts;
 - (vii) Rifle grenade launchers and all components and parts;
- (viii) Magazines and ammunition clips for items in this category. (Clips for the M1 rifle do not require demilitarization.)
- (ix) Insurgency counter-insurgency type firearms or other weapons having a special military application (i.e., close assault weapons systems), regardless of caliber, and all components and parts;
 - (x) Technical data related to the manufacture or production of any defense article enumerated above.
 - (2) The following items are considered to be SME accessories and require key point demilitarization worldwide:
 - (i) Gun mounts (including bipods and tripods). Key points are all attachment points/fittings and moveable joints.
- (3) The following items are considered to be MLI accessories and require total or key point destruction worldwide, or as indicated:
 - (i) Silencers, suppressors and mufflers (total destruction).
- (ii) Rifle scopes and all types of telescopic and optical sights including those designated for night sighting and viewing (key point destruction). Key points are attachment points/fittings, lenses, infrared source and as otherwise indicated by the ICA.
 - (4) The following items are considered to be MLI and to not require demilitarization:
 - (i) Clips for the M1 Rifle.
- (ii) All other technical data (not in subparagraph (d)(1) above) and defense services directly related to any defense article enumerated in this category.
 - (e) Method and degree of demilitarizations.
- (1) For items listed in subparagraph (d)(1) above, the preferred normal method of demilitarization is by torch cutting utilizing a cutting tip that displaces at least 1/2 inch of metal. All cuts will completely sever the item and be made in accordance with instructions applicable to the items being demilitarized as depicted in appropriate figures in Appendix 7 of DoD 4160.21-M-1, Defense Demilitarization and Trade Security Control Manual. Shearing, crushing, deep water dumping or melting may be utilized when such methods of demilitarization are deemed more cost effective and/or practicable and are authorized by appropriate authority.
- (2) Machine Guns will be demilitarized by torch cutting utilizing a cutting tip that displaces at least 1/2 inch of metal or shearing the receiver in a minimum of two places or by crushing in a hydraulic or similar type press. The barrel will be torch cut, sheared or crushed in the chamber area and in two or more places to the extent necessary to prevent restoration. If the shearing or crushing method is used, the trunnion block and side frame must be completely cut through, broken or distorted to preclude restoration to a usable condition.
- (3) Receivers shall be demilitarized by torch cutting in a minimum of two places utilizing a cutting tip that displaces at least 1/2 inch of metal or crushed to the extent necessary to preclude restoration to a usable condition.
- (4) Bolts and barrels will be demilitarized by torch cutting utilizing a cutting tip that displaces at least 1/2 inch of metal or crushed to the extent necessary to preclude restoration to a usable condition.
- (5) Accessories; i.e., silencers and mufflers, rifle grenade launchers, riflescopes and all types of telescopic and optical sights including those designed for night sighting and viewing, and gunmounts (including bipods and tripods) will be demilitarized by breaking, crushing or cutting in a manner which precludes restoration to a usable condition in accordance with instructions applicable to the items being demilitarized as depicted in appropriate figures contained in Appendix 7 of DoD 4160.21-M-1.
 - (6) Other metallic parts, including M2 conversion kits, will be demilitarized by cutting, crushing or melting.

CONTINUATION SHEET Reference No. of Document Being Continued Page 20 of 25 PIIN/SIIN W52H09-04-P-0492 MOD/AMD

Name of Offeror or Contractor: James ippolito & co of ct inc

(7) Technical Data, to include any reproduced copies, additional drawings and working papers, will be demilitarized by burning, shredding or pulping.

- (f) If demilitarization by melting is authorized and the Contractor does not possess the capability to perform this operation, this could be accomplished at Contractor expense by Rock Island Arsenal. If you desire to use this method, refer to the clause in Section J titled ''Attachment Demilitarization by Melting/Demilitarization of Surplus Small Arms Weapons and Parts.
- (g) The requirements of this clause shall apply to any packaging of Government property and excess property containing nonremovable markings required exclusively by this contract. Removable markings shall be removed before any nondemilitarized disposition.
- (h) The Contractor/subcontractor agrees that no items demilitarized, as stated above, will be disposed of by the Contractor/subcontractor other than as scrap.
- (i) Any excess property which arises out of this contract, but for which no demilitarization order was included in the contract, shall not be released, retained, sold, or disposed of in any manner without instructions from the ACO.
 - (j) Any requests for exceptions or waivers to this clause must be made in writing to the Procuring Contracting Officer.
- (k) The Contractor further agrees that this clause, including this subparagraph (k), will be included in any subcontracts for the aforesaid items.

(End of clause)

(HS7500)

25 52.247-4545 PLACE OF CONTRACT SHIPPING POINT, RAIL INFORMATION

MAY/1993

The bidder/offeror is to fill in the 'Shipped From' address, if different from 'Place of Performance' indicated elsewhere in this section.

Shipped From:	
For contracts involving F.O.B. Origin	n shipments furnish the following rail information:
Does Shipping Point have a private ra	ailroad siding? YES NO
If YES, give name of rail carrier ser	eving it:
If NO, give name and address of neare	est rail freight station and carrier serving it:
Rail Freight Station Name and Address	s:
Serving Carrier:	
	(End of Clause)

(HS7600)

CONTRACT CLAUSES

This document incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at these addresses:

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 21 of 25

Name of Offeror or Contractor: $\mbox{\tt JAMES}$ ippolito & co of ct inc

If the clause requires additional or unique information, then that information is provided immediately after the clause title. (IA7001)

26	52.209-6	PROTECTING THE GOVERNMENTS INTEREST WHEN SUBCONTRACTING WITH	JUL/1995
		CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	
27	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
28	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
29	52.219-3	NOTICE OF TOTAL HUBZONE SET-ASIDE	JAN/1999
30	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
31	52.222-19	CHILD LABOR - COOPERATION WITH AUTHORITIES AND REMEDIES	JUN/2004
32	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
33	52.222-26	EQUAL OPPORTUNITY	APR/2002
34	52.222-35	EQUAL OPPORTUNITY FOR SPECIAL DISABLED VETERANS, VETERANS OF THE	DEC/2001
		VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	
35	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES	JUN/1998
36	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE	DEC/2001
		VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	
37	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES (DEVIATION)	JAN/2004
38	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER - CENTRAL CONTRACTOR	OCT/2003
		REGISTRATION	
39	52.233-1	DISPUTES - ALTERNATE I	DEC/1998
40	52.243-1	CHANGES - FIXED PRICE	AUG/1987
41	52.246-1	CONTRACTOR INSPECTION REQUIREMENTS	APR/1984
42	52.249-1	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE)(SHORT FORM)	APR/1984
43	252.204-7003 DFARS	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
44	252.204-7004 DFARS	CENTRAL CONTRACTOR REGISTRATION - ALTERNATE A	NOV/2003
45	252.225-7001 DFARS	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	APR/2003
46	252.225-7002 DFARS	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003
47	252.225-7009	IA0736, DUTY-FREE ENTRYOUALIFYING COUNTRY SUPPLIES (END PRODUCTS	AUG/2000
	DFARS	AND COMPONENTS) WAS DELETED 15 APR 03 WTIHOUT REPLACEMENT	
48	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	MAY/2004
	DFARS	·	
49	252.225-7025 DFARS	RESTRICTION ON ACQUISITION OF FORGINGS	APR/2003
50	252.231-7000 DFARS	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
51	252.242-7000 DFARS	POSTAWARD CONFERENCE	DEC/1991
52	252.242-7003 DFARS	APPLICATION FOR U.S. GOVERNMENT SHIPPING	DEC/1991
53	252.243-7001 DFARS	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
54	252.246-7000 DFARS	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
55	52.213-4	TERMS AND CONDITIONS - SIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL ITEMS)	JUN/2004

Paragraph (b)(1)(viii) is deleted from this clause.

Information to be inserted in Paragraph (c):

http://www.arnet.gov/far/

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

N/SIIN W52H09-04-P-0492 MOD/A

Name of Offeror or Contractor: ${\tt JAMES}$ ${\tt IPPOLITO}$ & CO of CT INC

(IF8001)

56 52.217-6

EVALUATED OPTION FOR INCREASED QUANTITY

MAR/1990

Page 22 of 25

- a. This solicitation includes an evaluated option (See Section M).
- b. The Government reserves the right to increase the quantity of item(s) 0001 and 0002 by a quantity of up to and including but not exceeding -2- percent as an evaluated option at the price(s) quoted below.
- c. If the Contractor does not quote a price hereunder, the lowest price offered/bid in the Schedule for item(s) -1- shall be the price used for evaluation/award of any option quantities. All evaluation factors identified in the solicitation, except F.O.B. origin transportation costs, will be applied to the option quantity for evaluation purposes.
- d. The Contracting Officer may exercise the evaluated option at any time preceding 90 days by giving written notice to the Contractor.
- e. Delivery of the items added by exercise of this option shall continue immediately after, and at the same rate as delivery of like items called for under the contract, unless the parties agree otherwise.
 - f. Subject to the limitations contained in this clause, the Government may exercise this option on one or more occasions.
 - g. Offered Unit Prices for the Option Quantities are:

Unit Price

Evaluated Option
(F.O.B. Origin)

\$_____ CLIN 0001

_____ CLIN 0002

Varying prices may be offered for the option quantities actually ordered and the dates when ordered. In as much as the unit price for the basic quantity may contain starting, load, testing, tooling, transportation or other costs not applicable to option quantities, offerors are requested to take these factors into consideration while setting forth the unit price(s) for the option quantities. The option price is expected (but not required) to be lower than the unit price for the initial quantity.

(End of Clause)

(IF6080)

57 52.209-3

FIRST ARTICLE APPROVAL-CONTRACTOR TESTING, ALTERNATE I AND ALTERNATE

ΙI

- (a) The Contractor shall test * unit(s) of Lot/Item * as specified in this contract. At least fifteen (15) calendar days before the beginning of first article tests, the Contractor shall notify the Contracting Officer, in writing, of the time and location of the testing so that the Government may witness the tests.
- (b) The Contractor shall submit the first article test report within ** calendar days from the date of this contract to * marked ''FIRST ARTICLE TEST REPORT: Contract No.____,Lot/Item No.____.'' Within thirty (30) calendar days after the Government receives the test report, the Contracting Officer shall notify the Contractor, in writing, of the conditional approval, approval, or disapproval of the first article. The notice of conditional approval or approval shall not relieve the Contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval shall state any further action required of the Contractor. A notice of disapproval shall cite reasons for the disapproval.
- (c) If the first article is disapproved, the Contractor, upon Government request, shall repeat any or all first article tests. After each request for additional tests, the Contractor shall make any necessary changes, modifications, or repairs to the first article or select another first article for testing. All costs related to these tests are to be borne by the Contractor, including any and all costs for additional tests following a disapproval. The Contractor shall then conduct the tests and deliver another report to the Government under the terms and conditions and within the time specified by the Government. The Government shall take action on this report within the time specified in paragraph (b) above. The Government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule, or for any additional costs to the Government related to these tests.

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

- (d) If the Contractor fails to deliver any first article report on time, or the Contracting Officer disapproves any first article, the Contractor shall be deemed to have failed to make delivery within the meaning of the Default clause of this contract.
- (e) Unless otherwise provided in the contract, and if the approved first article is not consumed or destroyed in testing, the Contractor may deliver the approved first article as part of the contract quantity if it meets all contract requirements for acceptance.
- (f) If the Government does not act within the time specified in paragraph (b) or (c) above, the Contracting Officer shall, upon timely written request from the Contractor, equitably adjust under the Changes clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.
- (g) Before first article approval, the Contracting Officer may, by written authorization, authorize the Contractor to acquire specific materials or components or to commence production to the extent essential to meet the delivery schedules. Until first article approval is granted, only costs for the first article and costs incurred under this authorization are allocable to this contract for (1) progress payments, or (2) termination settlements if the contract is terminated for the convenience of the Government. If first article tests reveal deviations from contract requirements, the Contractor shall, at the location designated by the Government, make the required changes or replace all items produced under this contract at no change in the contract price.
- (h) The Government may waive the requirement for first article approval test where supplies identical or similar to those called for in the schedule have been previously furnished by the Offeror/Contractor and have been accepted by the Government. The Offeror/Contractor may request a waiver.
 - (i) The Contractor shall produce both the first article and the production quantity at the same facility.
- * (See instructions regarding submission of First Article clause)
- ** (See Schedule B)

(End of Clause)

(IF7116)

58 52.215-8

ORDER OF PRECEDENCE - UNIFORM CONTRACT FORMAT

OCT/1997

Page 23 of 25

Any inconsistency in this solicitation or contract shall be resolved by giving precedence in the following order: (a) the Schedule (excluding the specifications); (b) representations and other instructions; (c) contract clauses; (d) other documents, exhibits, and attachments; and (e) the specifications.

NOTE: The Order of Precedence within the specifications (paragraph (e) above) is: (1) Detailed specifications (including gage designs) for item(s) being procured; (2) Detailed specifications for material or operations; (3) General Specifications for class or items, and (4) General Specifications for class of materials.

(End of Clause)

(IF7003)

59 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES

APR/1984

- (a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the date of the clause.
- (b) The use in this solicitation or contract of any DOD FAR SUPPLEMENT (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of ''(DEVIATION)'' after the name of the regulation.

(End of clause)

(IF7016)

60 252.211-7005 SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS FEB/2003

(a) <u>Definition</u>. ''SPI process,'' as used in this clause, means a management or manufacturing process that has been accepted previously by the department of defense under the Single Process Initiative (SPI) for use in lieu of specific military or Federal specification or standard at specific facilities. Under SPI, these processes are reviewed and accepted by a Management Council, which

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 24 of 25

Name of Offeror or Contractor: James ippolito & co of ct inc

includes representatives from the Defense Contract Management Agency, the Defense Contract Audit Agency, and the military departments.

- (b) Offerors are encouraged to propose SPI process in lieu of military or Federal specifications and standards cited in the solicitation. A listing of SPI process accepted at specific facilities is available via the Internet in Excel format at http://www.dcma.mil/onebook/7.0/7.2/7.2.6/reports/modified.xls
- (c) An offeror proposing to use an SPI process in lieu of military or Federal specifications or standard cited in the solicitation shall--
 - (1) Identify the specific military or Federal specification or standard for which the SPI process has been accepted,
- (2) identify each facility at which the offeror proposed to use the specific SPI process in lieu of military or Federal specifications or standards cited in the solicitation;
 - (3) Identify the contract line items, subline items, components, or elements affected by the SPI process; and
- (4) If the proposed SPI process has been accepted at the facility at which it is proposed for use, but is not yet listed at the Internet site specified in paragraph (b) of this clause, submit documentation of Department of Defense acceptance of the SPI process.
- (d) Absent a determination that an SPI process is not acceptable for this procurement, the Contractor shall use the following SPI processes in lieu of military or Federal specifications or standards:

(Offeror insert information for each SPI process)

SPI Process:
Facility:
Military or Federal Specification or Standard:
Affected Contract Line Item Number, Subline Item Number, Component, or Element:

- (e) If a prospective offeror wishes to obtain, prior to the time specified for receipt of offers, verification that an SPI process is an acceptable replacement for military or Federal specifications or standards required by the solicitation, the prospective offeror -
- (1) May submit the information required by paragraph (d) of this clause to the Contracting Officer prior to submission of an offer;
- (2) Must submit the information to the Contracting Officer at least 10 working days prior to the date specified for receipt of offers.

(End of Clause)

(IA7009)

Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0492

MOD/AMD

Page 25 of 25

Name of Offeror or Contractor: JAMES IPPOLITO & CO OF CT INC

LIST OF ATTACHMENTS

List of			Number
Addenda	Title	Date	of Pages Transmitted By
Exhibit A	CONTRACT DATA REQUIREMENTS LIST	16-JAN-2004	002
Attachment 001	DOCUMENT SUMMARY LIST		001

The following documents are hereby attached by reference and form a part of this acquisition. These documents are available in electronic format on the internet at https://aais.ria.army.mil/aais/SOLINFO/index.htm. Vendors should ensure that they have the correct revisions in their possession prior to submitting a bid proposal/quote.

List of			Number
<u>Addenda</u>	<u>Title</u>	<u>Date</u>	of Pages
Attachment 1A	Instructions for Completing DD Form 1423	JUN 90	1 Pg
Attachment 2A	IOC Form 715-3	FEB 96	2 Pgs
Attachment 3A	AMCCOM Form 71-R	01OCT88	2 Pgs
Attachment 4A	Guidance on Documentation of Contract Data Requirements List (CDRL)		2 Pgs
Attachment 5A	Disclosure of Lobbying Activities (SF-LLL)		3 Pgs
Attachment 6A	Data Delivery Description - Engineering Change Proposal	JUL 01	9 Pgs
Attachment 7A	Data Delivery Description - Notice of Revision	JUL 01	2 Pgs
Attachment 8A	Data Delivery Description - Request for Deviation	JUL 01	4 Pgs
(JS7001)	(End of Clause)		

(JS7001)